

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1546	29/594,731,753,754,761.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:13
S2	51	72/370.11.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:12
S3	1584	29/443,594,731,753,754,761.ccls.	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:14
S5	1420	deform\$3 near flange	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:15
S6	0	S2 and S5	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:14
S7	0	S3 and S5	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:14
S8	11199	deform\$3 with flang\$3	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:17
S9	2	S2 and S8	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:15
S10	5	S3 and S8	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:15
S11	7	S9 or S10	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:15
S12	1	(cylinder near rod) with deform\$3 with flang\$3	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:25
S13	328	cylinder with deform\$3 with flang\$3	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:18
S14	82	cylinder with press\$3 with deform\$3 with flang\$3	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:24
S15	5	cylinder with press\$3 with deform\$3 with flang\$3 with (tool or apparatus)	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:19
S16	1955	press\$3 with deform\$3 with flang\$3	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:24

S17	188	press\$3 with (deform\$3 near flang\$3)	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:24
S18	389746	(cylinder or rod) with press\$4	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:25
S19	20	S17 and S18	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:35
S20	0	Haapalahti-Teuvo.in. or Jokilehto-Pekka.in. or Suvanto-Tapio.in. or Mehtatalo-Pentti.in.	USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:36
S21	1	Haapalahti-Teuvo.in. or Jokilehto-Pekka.in. or Suvanto-Tapio.in. or Mehtatalo-Pentti.in.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/10/28 10:36
S22	10	((("4287494") or ("5622071") or ("6114928") or ("6198363") or ("6501349"))).PN.	USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/10/28 10:38

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((inner conductor) <and> flange)<in>metadata)) <and> (pyr >= 1950 <and>..."

☒ e-mail

Your search matched 1 of 1250969 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- ☐ 1. **A modified open-ended coaxial probe for concave surface coating materi**
Hassan, A.-K.A.; Deming Xu; Lin Zhang; Maode Niu; YuJian Zhang;
Microwave Symposium Digest., 2000 IEEE MTT-S International
Volume 3, 11-16 June 2000 Page(s):1867 - 1870 vol.3
Digital Object Identifier 10.1109/MWSYM.2000.862345
[AbstractPlus](#) | Full Text: [PDF](#)(316 KB) IEEE CNF

[View Session History](#)Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -